Summary of Amendment to the 2012 State Water Plan (July 2014)

					W	ater Supp	ly Volume	e (acre-fee	et per yea	r)
Change	Description	Region	Recommended Water Management Strategy	Total Capital Costs	2010	2020	2030	2040	2050	2060
Region C Minor	<u>Revise</u> water management		Municipal Conservation Basic -							
Amendment	strategy	С	City of Bedford	\$77,308,705	274	1,270	2,231	2,357	2,496	2,641
	<u>Revise</u> water management		Municipal Conservation Basic -							
	strategy	С	City of Fort Worth	\$65,282,908	4,871	23,428	31,998	41,888	54,191	70,134
Region L	Replace water management		GBRA Lower Basin Storage							
Substitution	strategy	L	Project	\$77,876,000	0	57,674	57,674	57,674	57,674	57,674



Water for Texas 2012: Amendment #4:

The following changes were made to the 2012 State Water Plan as a result of a minor amendment to the Region C 2011 Regional Water Plan and a strategy substitution in the Region L 2011 Regional Water Plan. This amendment was approved by the Texas Water Development Board on July 2, 2015.

SUMMARY OF CHANGES:

Changes to Appendix A.2 of the 2012 State Water Plan: Recommended Water Management Strategies and Costs Estimates											
					Water Supply Volume (acre-feet per year)						
Change	Region	Recommended Water Management Strategy	Total Capital Costs	First Decade Estimated Annual Average Unit Cost (\$/acre- foot/year)	2010	2020	2030	2040	2050	2060	Estimated Annual Average Unit Cost (\$/acre- foot/year)
REVISED	с	Municipal conservation - basic	\$143,743,188	\$200	41,967	111,049	155,586	197,325	242,667	295,461	\$85
REVISED	L	GBRA lower basin storage	\$77,876,000	\$113	0	57,674	57,674	57,674	57,674	57,674	\$14

Page 1 of 4



Water for Texas 2012: Amendment #4:

The following changes were made to the 2012 State Water Plan as a result of a minor amendment to the Region C 2011 Regional Water Plan and a strategy substitution in the Region L 2011 Regional Water Plan. This amendment was approved by the Texas Water Development Board on July 2, 2015.

CHANGES TO WATER FOR TEXAS 2012 STATE WATER PLAN

Text:			
			The strategies recommended by regional water planning groups would provide, if implemented, 9.3 million acre-fe
Page	4 : Paragraph 5	: Change first sentence to:	supplies by 2060 (Figure ES.4).
			The estimated total capital cost of the 2012 State Water Plan, representing the capital costs of all water management
Page	5 : Paragraph 4	: Change first sentence to:	2011 regional water plans, is <u>\$55.6</u> billion.
Page	44 : Paragraph 2	: Change second bullet to:	Recommended water management strategy volume in 2060 - <u>2,391,334</u> acre-feet per year
Page	44 : Paragraph 2	: Change third bullet to:	Total capital cost - <u>\$21.6</u> billion
Page	44 : Paragraph 2	: Change fourth bullet to:	Conservation accounts for <u>13.5</u> percent of 2060 strategy volumes
			In all, the strategies provide an additional 2.4 million acre-feet by 2060 (Figures C.3 and C.4), with a total capital cost
Page	46: Paragraph 4	: Change second sentence to:	the recommended water management strategies are implemented.
			Conservation strategies account for approximately 13.5 percent (321,741 acre-feet) of the total volume of water as
Page	46: Paragraph 5	: Change first sentence to:	strategies.
Page	98: Paragraph 2	: Change second bullet to:	Recommended water management strategy volume in 2060 - <u>895,043</u> acre-feet per year
Page	98: Paragraph 2	: Change third bullet to:	Total capital cost - <u>\$8.9</u> billion
Page	98: Paragraph 2	: Change fourth bullet to:	Conservation accounts for <u>9</u> percent of 2060 strategy volumes
			Implementing all the water management strategies recommended in the Region L plan would result in 895,043 acro
Page	100 : Paragraph 4	: Change second sentence to:	2060 at a total capital cost of <u>\$8.9</u> billion (Appendix A).
			Conservation strategies account for <u>9</u> percent of the total amount of water that would be provided by the region's
Page	100: Paragraph 5	: Change first sentence to:	strategies.
			The regional planning groups recommended 569 unique water projects designed to meet needs for additional water
Page	187: Paragraph 1	: Change first sentence to:	resulting in a total, if implemented, of <u>9.3</u> million acre-feet per year in additional water supplies by 2060.
			To meet the needs for water during a repeat of the drought of record, regional water planning groups evaluated an
Page	189: Paragraph 4	: Change first sentence to:	strategies that would account for an additional 9.3 million acre-feet per year of water by 2060 if all are implemente
			Surface water strategies, excluding desalination and non-traditional strategies, compose about 50 percent of the re
		Change second and third sentence	compared to 9 percent from groundwater strategies in the 2012 State Water Plan. Surface water management strategies in the 2012 State Water Plan.
Page	190 : Paragraph 3	: to:	regional planning groups total in excess of <u>4.6</u> million acre-feet per year by 2060.
			These new reservoirs would produce <u>1.6</u> million acre-feet per year in 2060 if all are built, representing <u>17.2</u> percent
Page	190 : Paragraph 4	: Change third sentence to:	recommended strategies for 2060 combined (Figure 7.2).
			As discussed further in Chapter 9 (Financing Needs), the total capital costs of the 2012 State Water Plan - represent
Page	198 : Paragraph 1	: Change first sentence to:	strategies recommended by the regional water planning groups - is <u>\$55.6</u> billion.

Note : No further corrections to Chapter 9 are captured since the chapter speaks to financing needs at the time the 2012 State Water Plan was initially published.

feet per	year in	additional	water

ment strategies recommended in the

cost of \$<u>21.6</u> billion (Appendix A) if all

associated with all recommended

cre-feet of additional water supplies in

's recommended water management

ater supplies for Texas during drought,

an recommended water management nted (Tables 7.1 and 7.2).

recommended volume of new water, rategies recommended by the

ent of the total volume of all

enting all of the water management

Texas Water Development Board

Water for Texas 2012: Amendment #4:

The following changes were made to the 2012 State Water Plan as a result of a minor amendment to the Region C 2011 Regional Water Plan and a strategy substitution in the Region L 2011 Regional Water Plan. This amendment was approved by the Texas Water Development Board on July 2, 2015.

CHANGES TO WATER FOR TEXAS 2012 STATE WATER PLAN

							DECA	ADE		
				UNITS	2010	2020	2030	2040	2050	2060
		Water Supplies from Water Management Strategies in the State	Update to the							
Page 5:	Figure ES.4.	: Water Plan (AFY)	following:	acre-feet per year	2,049,353	4,744,059	6,068,301	6,758,523	8,153,657	9,254,512
		Total Capital Costs for Water supplies, Water Treatment and								
		Distribution, Wastewater Treatment and Collection, and Flood	Update to the		Capital costs o	f water mana	gement strate	gies recomme	nded in 2012	State Wate
Page 7:	Figure ES.6.	: Control (Billions of Dollars)	following:	billions of dollars	Plan \$ <u>55.6.</u> To	tal capital cost	ts: <u>\$233.7 billi</u>	<u>on</u>		
		Recommended Water Management Strategy Water Supply	Update to the	<u>Municipal</u>						
Page 49 :	Figure C.3	: Volumes for 2010-2060 (AFY)	following:	Conservation	46,723	120,911	169,493	214,235	261,491	316,002
					Municipal Con	servation <u>13.2</u>	<u>2%;</u> Other Con	servation 0.1%	6; Irrigation C	onservation
		2060 Recommended Water Management Strategies - Relative	Update to the		<u>0.1%</u> ; New Ma	jor Reservoir	<u>30.4%;</u> Other S	Surface Water	<u>44.5%; G</u> roun	ndwater
Page 49:	Figure C.4	: Share of Supply.	following:	percent	0.2%; Reuse <u>1</u>	1.4%				
		Recommended Water Management Strategy Water Supply	Update to the	<u>new major</u>						
Page 103 :	Figure L.3	: Volumes for 2010-2060 (AFY)	following:	reservoir	0	141,800	214,731	214,731	214,731	214,731
-					Municipal Con	convotion 9 10	V. Irrigation C			
					iviunicipai con	Servation 0.17	%, inigation Co	onservation 0.3	8%; Other Cor	iservation
					0.3%; New Ma				-	
		2060 Recommended Water Management Strategies - Relative	Update to the			ijor Reservoir	24.0%; Other S	Surface Water	4.4%; Ground	dwater_
Page 103 :	Figure L.4	2060 Recommended Water Management Strategies - Relative : Share of Supply.	Update to the following:	percent	0.3% <u>; New Ma</u>	ijor Reservoir 5.2%; Ground	24.0%; Other S	Surface Water	4.4%; Ground	dwater
Page 103 :	Figure L.4		•	percent Region C acre-feet	0.3% <u>; New Ma</u> 26.2%; Reuse Desalination 2	ijor Reservoir 5.2%; Ground	24.0%; Other S	Surface Water	4.4%; Ground	dwater
-		: Share of Supply.	following:	•	0.3% <u>; New Ma</u> 26.2%; Reuse Desalination 2	ijor Reservoir 5.2%; Ground	24.0%; Other S	Surface Water	4.4%; Ground	dwater ater
Page 103 : Page 188 :		: Share of Supply. Recommended Water Management Strategy Supply Volumes by	following: Update to the	Region C acre-feet	0.3%; <u>New Ma</u> 26.2%; Reuse Desalination 2	ijor Reservoir 5.2%; Ground 0.6%	24.0%; Other 9 water Desalina	Surface Water ation 4.7%; AS	4.4%; Ground R 5.7%; Seawa	dwater
-		: Share of Supply. Recommended Water Management Strategy Supply Volumes by	following: Update to the	Region C acre-feet per year	0.3%; <u>New Ma</u> 26.2%; Reuse Desalination 2	ijor Reservoir 5.2%; Ground 0.6%	24.0%; Other 9 water Desalina	Surface Water ation 4.7%; AS	4.4%; Ground R 5.7%; Seawa	dwater_ ater_ 2,391,334
		: Share of Supply. Recommended Water Management Strategy Supply Volumes by	following: Update to the	Region C acre-feet per year Region L acre-feet	0.3%; <u>New Ma</u> 26.2%; Reuse <u>Desalination 2</u> 79,898	ijor Reservoir 5.2%; Groundy <u>0.6%</u> 688,673	24.0%; Other 9 water Desalina 1,148,938	Surface Water ation 4.7%; ASI 1,324,470	4.4%; Ground R 5.7%; Seawa 2,070,986	dwater_ ater_ 2,391,334
		: Share of Supply. Recommended Water Management Strategy Supply Volumes by	following: Update to the	Region C acre-feet per year Region L acre-feet per year	0.3%; <u>New Ma</u> 26.2%; Reuse <u>Desalination 2</u> 79,898	ijor Reservoir 5.2%; Groundy <u>0.6%</u> 688,673	24.0%; Other 9 water Desalina 1,148,938	Surface Water ation 4.7%; ASI 1,324,470	4.4%; Ground R 5.7%; Seawa 2,070,986	dwater ater 2,391,334 895,043
		: Share of Supply. Recommended Water Management Strategy Supply Volumes by	following: Update to the	Region C acre-feet per year Region L acre-feet per year Total acre-feet per	0.3%; <u>New Ma</u> 26.2%; Reuse <u>Desalination 2</u> 79,898 188,297	ijor Reservoir 5.2%; Ground 0.6% 688,673 533,677	24.0%; Other 9 water Desalina 1,148,938 671,911	Surface Water ation 4.7%; ASI 1,324,470 700,858	4.4%; Ground R 5.7%; Seawa 2,070,986 760,781	dwater ater 2,391,334 895,043
	Table 7.1.	: Share of Supply. Recommended Water Management Strategy Supply Volumes by : Region (AFY)	following: Update to the following:	Region C acre-feet per year Region L acre-feet per year Total acre-feet per year	0.3%; <u>New Ma</u> 26.2%; Reuse <u>Desalination 2</u> 79,898 188,297	ijor Reservoir 5.2%; Ground 0.6% 688,673 533,677	24.0%; Other 9 water Desalina 1,148,938 671,911	Surface Water ation 4.7%; ASI 1,324,470 700,858	4.4%; Ground R 5.7%; Seawa 2,070,986 760,781	dwater ater 2,391,334 895,043 9,254,512
Page 188 :	Table 7.1.	: Share of Supply. Recommended Water Management Strategy Supply Volumes by : Region (AFY) Recommended Water Management Strategy Supply Volumes by	following: Update to the following: Update to the	Region C acre-feet per year Region L acre-feet per year Total acre-feet per year Municipal	0.3% <u>; New Ma</u> 26.2%; Reuse Desalination 2 79,898 188,297 2,049,353	ijor Reservoir 5.2%; Ground 0.6% 688,673 533,677 4,744,059	24.0%; Other 9 water Desalina 1,148,938 671,911 6,068,301	Surface Water ation 4.7%; AS 1,324,470 700,858 6,758,523	4.4%; Ground R 5.7%; Seawa 2,070,986 760,781 8,153,657	dwater ater 2,391,334 895,043 9,254,512
Page 188 :	Table 7.1.	: Share of Supply. Recommended Water Management Strategy Supply Volumes by : Region (AFY) Recommended Water Management Strategy Supply Volumes by	following: Update to the following: Update to the	Region C acre-feet per year Region L acre-feet per year Total acre-feet per year Municipal Conservation	0.3% <u>; New Ma</u> 26.2%; Reuse Desalination 2 79,898 188,297 2,049,353	ijor Reservoir 5.2%; Ground 0.6% 688,673 533,677 4,744,059	24.0%; Other 9 water Desalina 1,148,938 671,911 6,068,301	Surface Water ation 4.7%; AS 1,324,470 700,858 6,758,523	4.4%; Ground R 5.7%; Seawa 2,070,986 760,781 8,153,657	dwater ater 2,391,334 895,043 9,254,512 678,393
Page 188 :	Table 7.1.	: Share of Supply. Recommended Water Management Strategy Supply Volumes by : Region (AFY) Recommended Water Management Strategy Supply Volumes by	following: Update to the following: Update to the	Region C acre-feet per year Region L acre-feet per year Total acre-feet per year Municipal Conservation New major	0.3%; <u>New Ma</u> 26.2%; Reuse Desalination 2 79,898 188,297 2,049,353 137,847	ijor Reservoir 5.2%; Ground 0.6% 688,673 533,677 4,744,059 278,894	24.0%; Other 9 water Desalina 1,148,938 671,911 6,068,301 371,501	Surface Water ation 4.7%; AS 1,324,470 700,858 6,758,523 458,099	4.4%; Ground R 5.7%; Seawa 2,070,986 760,781 8,153,657 564,723	dwater ater 2,391,334 895,043 9,254,512 678,393
Page 188 :	Table 7.1.	: Share of Supply. Recommended Water Management Strategy Supply Volumes by : Region (AFY) Recommended Water Management Strategy Supply Volumes by	following: Update to the following: Update to the	Region C acre-feet per year Region L acre-feet per year Total acre-feet per year Municipal Conservation New major reservoir	0.3%; <u>New Ma</u> 26.2%; Reuse Desalination 2 79,898 188,297 2,049,353 137,847	ijor Reservoir 5.2%; Ground 0.6% 688,673 533,677 4,744,059 278,894	24.0%; Other 9 water Desalina 1,148,938 671,911 6,068,301 371,501	Surface Water ation 4.7%; AS 1,324,470 700,858 6,758,523 458,099	4.4%; Ground R 5.7%; Seawa 2,070,986 760,781 8,153,657 564,723	dwater ater

Note : No further corrections to Chapter 9 are captured since the chapter speaks to financing needs at the time the 2012 State Water Plan was initially published.

Page 3 of 4

Texas Water Development Board

Water for Texas 2012: Amendment #4:

The following changes were made to the 2012 State Water Plan as a result of a minor amendment to the Region C 2011 Regional Water Plan and a strategy substitution in the Region L 2011 Regional Water Plan. This amendment was approved by the Texas Water Development Board on July 2, 2015.

CHANGES TO WATER FOR TEXAS 2012 STATE WATER PLAN

Tables and	d Figures (cont.):									
				DECADE						TOTAL
			UNITS	2010	2020	2030	2040	2050	2060	
	Supply Volumes from Recommended Conservation Strategies by	Update to the								1
Page 190 :	Table 7.3. : Region (AFY)	following:	Region C	46,780	121,984	172,831	218,755	266,638	321,741	1
			Total	766,658	1,413,630	1,738,653	1,892,382	2,049,940	2,207,290	1
	Relative Volumes of Recommended Water Management Strateg	ies Update to the								1
Page 191 :	Figure 7.2. : in 2060.	following:	percent	Groundwater	8.7%; Municij	oal Conservat	ion 7.3%;			1
				Groundwater	Desalination 2	2.0%; Conjund	tive Use 1.5%	;		
				Seawater Des	alination 2.7%	; Aquifer Stor	age and Reco	very 0.9%;		
				Other Conserv	vation 0.3%; B	rush Control (0. <mark>2%;</mark> Weathe	r		
				Modification (0.2%; Surface	Water Desalir	nation <0.1%;			1
				Other Surface	Water 33.0%	; Irrigation Co	nservation 16	.3%;		1
				New Major Re	eservoir 17.2%	5; Reuse 9.9%				
	Recommended Water Management Strategy Capital Costs by	Update to the	Region C Millions of							
Page 195 :	Table 7.5. : Region (Millions of Dollars)	following:	Dollars	\$9,922	\$4,119	\$3,891	\$928	\$17	\$2,747	\$21,625
			Region L Millions of							
			Dollars	\$1,022	\$4,333	\$2,287	\$2	\$12	\$1,294	\$8,950
			Total Millions of		t	4				4
			Dollars	\$22,097	\$17,025	\$7,558	\$3,127	\$1,094	\$4,702	\$55,604
5	Existing Supplies and Recommended Water Management Strates		Region C acre-feet				204 224			
Page 195 :	Figure 7.4. : Supplies by Region (AFY)	following:	per year	Water Manag	ement Strate	gy Supplies 2,	391,334			
			Region L acre-feet				F 042			1
	Water Needs, Needs Met by Plans, and Strategy Supply by Pegie	n Undata ta tha	per year	Water Manag	ement Strate	gy supplies 89	5,043			
Page 197 :	Water Needs, Needs Met by Plans, and Strategy Supply by Regio Figure 7.5. : (AFY)	n Update to the following:	Region C acre-feet	Water Manag	amont Strata	w Supplies 2	201 22/			
Fage 197	rigure 7.3 (Art)	Tonowing:	per year Region L acre-feet	-		sy supplies Z,	571,554			
			per year	Water Management Strategy Supplies 895,043						
			μει γεαι	water wallag		Sy Juppiles 05	5,045			

Note: No further corrections to Chapter 9 are captured since the chapter speaks to financing needs at the time the 2012 State Water Plan was initially published. Page 4 of 4